



# SISTEMA VISION DE FECHOS ESCAMOTEÁVEIS EXTERNOS

Vision Outside é um sistema patenteado indicado para aplicações de extrema exigência e qualidade de vedação contra os elementos externos.

O sistema possui uma função de compressão de 3mm feita com atenção aos detalhes de produção, desde a fundição sob pressão até a pintura pó para assegurar que o Sistema Vision Outside é o mais perfeito sistema disponível no mercado. Quando você precisar proteger equipamentos eletrônicos de grande valor de ambientes agressivos, este é o sistema para você.



## MATERIAL

**Cremona:** Glass fibre reinforced polyamide (PA6GF30)

**Rod:** Aço inox 304

## RELATED PRODUCTS

**Handles:** 1-004.04, 1-002.02, 1-005.10, 1-006.50, 1-002.01, 6-010, 1-002.03, 1-006.01, 1-006.03, 1-007, 1-002.08



**Rods:** 1-008.05/13

**Needed components for a complete system:** 1-008.05

Use the Index Code at [industrilas.com](http://industrilas.com)

## TESTS & STANDARDS

- Multiple latching points for perfect latching and compression in tall applications.
- System with more than four latching points available upon request.
- Control mechanism comes complete assembled with flat rod. Latching points ordered separately.



**Industrilas**  
— When access counts —

**Make your selections in each column to create your article number (AAAA-BBBB-CCCC)**

AAAA	Material rod	Material control mechanism	BBBB	Rod system	CCCC	L in mm	L1 in mm	L2 in mm
1321	Aço, zincado	Zamak, zincado	1000	Vision Inside + Vision Outside	0500	500	200	-
1390	Aço inox 316	Zinc, Delta seal			0900	700	300	-
1350	Aço, zincado	PA6GF30			1200	1500	400	-
1395	Aço inox 316	PA6GF30			982	982	300	700
					1700	1700	300	800

