


SISTEMA VISION DE FECHOS ESCAMOTEÁVEIS OUTSIDE - CLASSIC



O sistema é montado na área externa da vedação. Quando a maçaneta é movimentada no sentido do fechamento, os varões são estendidos e fazem o trancamento. Os varões planos são fornecidos prontos com os roletes de trancamento nas dimensões A1/A2 e B1/B2 fornecidas pelo cliente.

Os pontos de travamento e as guias dos varões devem ser adquiridos separadamente.



MATERIAL

Cremona: Glass fibre reinforced polyamide (PA6GF30)


Rod: Aço, zincado

RELATED PRODUCTS

Handles: 1-002.02, 1-005.10, 1-006.50, 1-002.01, 6-010, 1-002.03, 1-006.01, 1-006.03, 1-007, 1-002.08

Needed components for a complete system: 1-008.57, 1-008.25


Use the Index Code at industrilas.com




Industrilas
— When access counts —

Make your selections in each column to create your article number (AAAA-BBBB-CCCC)

AAAA	Material rod	Material control mechanism	BBBB	Rod system	CCCC	L in mm	L1 in mm	L2 in mm
1321	Aço, zincado	Zamak, zincado	2000	Vision Outside Classic E-clip	0900	700	300	-
1390	Aço inox 316	Zinc, Delta seal	3000	Vision Outside Classic Quick Fit	1200	1500	400	-
1350	Aço, zincado	PA6GF30			982	982	300	700
1395	Aço inox 316	PA6GF30			1700	1700	300	800



E-clip



Quick-fit

