


# FECHO LINGUETA CLÁSSICO 30 MM



O Fecho completo consiste de uma bucha, porca, miolo, arruela, parafuso e lingueta.

A bucha longa pode ser montada em portas com isolamento térmico. A bucha de 45,5mm pode ser fixo com um clip mola em portas com espessuras de 29, 32 ou 39mm. A bucha de 56,5mm pode ser fixa em portas com espessuras de 40, 43 e 50mm.

O Grau de proteção IP65 é obtido com a montagem de um O-ring no miolo e uma gaxeta plana na bucha.

Pode ser fornecido desmontado, parcialmente montado com lingueta avulsa

ou completamente montado. O Clip, por ser um opcional, deve ser adquirido separadamente.



## MATERIAL

**Cam :** Hardened steel

**Porca de aterramento:** Zamak, zincado

**Housing:** Zinc die cast, chrome plated or black powder coated

**Insert:** Zamak, zincado

**Porca padrão:** Brass, zinc plated

**Washer, spring clip and screw:** Aço, zincado

## RELATED PRODUCTS

**Other materials:** 6-120

**Handles and knobs:** 2-360

**Keys:** 2-372, 2-370

**Accessories:** 2-410, 271105

**Cams:** 2-490, 2-510, 2-520, 2-480



**Similar products:** 2-060

Use the Index Code at [industriilas.com](http://industriilas.com)

## TESTS & STANDARDS

**Cutout:** COMBI

**Classifications:** IP65



**Make your selections in each column to create your article number (AAAA-BCCDEF-HLLL)**

AAAA Housing		B Porca	CC Insert	D Superfície	E Montagem	F Cam	HHLL	H/L em mm
2102	Zamak, cromado	0 SN	05 Quadrado 8	2 Cromado	0 IP54 - desmontado	0 Aço	0000	Sem lingueta
2106	Zamak, pintado em preto	1 EN	08 Quadrado 8 / M6	6 Black Powder Coated	1 IP65 - desmontado		1645	16 / 45
			15 Triângulo 8		2 IP54 - Lingueta incluída		1845	18 / 45
			22 Universal 3mm		3 IP65 - Lingueta incluída		2045	20 / 45
			26 Fenda		4 IP54 - montado		2245	22 / 45
			28 Com fenda e seta		5 IP65 - montado		2445	24 / 45
							2645	26 / 45
							2845	28 / 45
							3045	30 / 45
							3245	32 / 45
							3445	34 / 45
							3645	36 / 45
							3845	38 / 45
							4045	40 / 45
							4245	42 / 45
							4445	44 / 45
							4645	46 / 45
							4845	48 / 45
							5045	50 / 45
							5245	52 / 45
							5445	54 / 45
							5645	56 / 45
							5845	58 / 45
							6045	60 / 45
							6245	62 / 45

SN = Standard nut. EN = Earthing nut.

Other inserts on request.



