



VECTOR PULL HANDLE

Robust handle to operate doors equipped with Vector Rotary Latches or Vector Latch Points. The freewheeling locking mechanism ensure the latched status of the door in every situation, regardless of how much force is applied to the handle. Vector Pull Handle is ordered either as an actuator for a single point latching system or as a multi version with the possibility to connect a maximum of three latching points to the handle. The connection to the latch points can be done with either Vector cables or rods. Sealed against water and dust with o-ring and molded TPE-gasket.



MATERIAL

Body: Polycarbonate and acrylic styrene acrylate terpolymer (PC/ASA)

Bracket: Zinc die cast, zinc plated or black coated

Parafusos injetados: Aço, zincado

Cylinder: Brass, nickel plated in matt finish

Gaskets: TPE

Maçaneta: Zinc die cast, black coated

O-ring: Silicone



Spring: Aço inox 304

RELATED PRODUCTS

Needed components for a complete system:
2-750-01, 2-750-02, 2-750-03, 2-750-04, 2-750-07, 2-745, 2-746, 2-769

Accessories: 2-412

Use the Index Code at industrilas.com



Industrilas
— When access counts —

Make your selections in each column to create your article number (AAAA-BBCCDD-EFGG)

AAAA Tipo	BB Material do corpo	CC Material/Tratamento de superfície	DD Cylinder	E Montagem	F Grau de proteção IP	GG Cabo / Conexão do varão
2950 Maçaneta	50 PA6GF30	12 Zamak, cromado	Com chave segredo	0 Parafusos injetados	5 IP65	11 Cabo, único
		16 Zinc die cast, black texture powder coated	06 CH751			14 Cable, multi max 3
			20 Com chave segredo 455			21 Varão, única
			21 Com chave segredo 805			24 Rod, multi max 3
			69 Keyed alike 810			
			70 Keyed alike 815			
			71 Keyed alike 820			
			72 Keyed alike 825			
			73 Keyed alike 830			
			74 Keyed alike 835			
			75 Keyed alike 840			
			76 Keyed alike 845			
			77 Keyed alike 850			

