

VECTOR P ACTUATOR

Vector P actuator is a patented heavy-duty, vibration-resistant handle that has been designed for on- and off-road vehicles. The Vector P actuator handle is used to maneuver one or two Vector rotary latches, or Vector Latch points connected with Vector cables between Actuator handle and latch point(s).

It is available with left, right or universal grip handle and is installed with a mounting bracket or four moulded-in M5 bolts. IP66 water- and dust sealing.

MATERIAL

Adapter for cylinder (internal component):

Glass fibre reinforced polyamide (PA6GF30) **Body:** Glass fibre reinforced polyamide

(PA6GF30)

Bracket: Steel, zinc plated **Cast-in bolts:** Steel, zinc plated

Cylinder: Zinc die cast, stainless steel 304 cap

and dust shutter **Gaskets:** Polyurethane

Manoeuver arms: Zinc die cast, zinc plated

Mounting bracket: Steel, zinc plated

Nut: Steel, zinc plated

RELATED PRODUCTS

Needed components for a complete system: 2-750-01, 2-750-02, 2-750-03, 2-750-04, 2-750-07, 2-745, 2-749-01, 2-749-02, 2-749-03, 2-749-04

Accessories: 2-412

Use the Index Code at industrilas.com


TECHNICAL INFORMATION

The tightening torque of the two nuts for the mounting bracket is 3,0 Nm. The tightening torque of the four nuts for the mould-in bolts is 2,2 Nm. It is important that the four holes made in the cut out for the mould-in bolts are within tolerance, to avoid damage when tightening the M5 nuts.

Standards: IP66, DIN EN 61373

Cylinder information: Cylinder with other key codes on request, Supplied with two keys





INDUSTRILAS.COM

Make your selections in each column to create your article number (AAAA-BBCDDE-FFGG)

AAAA Type	BB Handle	Material	С Мо	unting		atch ersion	E Type	FF	Cylinder	GG Accessories
2800 Paddle latch	00 Universal	7ino		Mould-in bolts Mounting bracket	O6 Actuator for cables	0 Standard	01	Keyed alike 805	00 No accessory	
	02 Universal b	chrome					02	Keyed alike 455		
		black Plastic					03	Keyed to differ		
	20 Right	Plastic						06	Keyed alike CH751	
								69	Keyed alike 810	
								70	Keyed alike 815	
							71	Keyed alike 820		
								72	Keyed alike 825	
								73	Keyed alike 830	
								74	Keyed alike 835	
								75	Keyed alike 840	
								76	Keyed alike 845	
								77	Keyed alike 850	

