

VECTOR P ACTUATOR

Vector P actuator is a patented heavy-duty, vibration-resistant handle that has been designed for on- and off-road vehicles. The Vector P actuator handle is used to maneuver one or two Vector rotary latches, or Vector Latch points connected with Vector cables between Actuator handle and latch point(s).

It is available with left, right or universal grip handle and is installed with a mounting bracket or four moulded-in M5 bolts. IP66 water- and dust sealing.



Glas fibre reinforced polyamide (PA6GF30) **Body:** Zinc die cast, black or silver texture powder coated

Bracket: Zinc die cast, zinc plated or black coated

Parafusos injetados: Aço, zincado Cylinder: Brass, nickel plated in matt finish Gaskets: Polyurethane

Manoeuver arms: Zamak, zincado Suporte de montagem: Aço, zincado Porca: Zinc die cast, chrome

RELATED PRODUCTS


Needed components for a complete system: 2-750-01, 2-750-02, 2-750-03, 2-750-04, 2-750-07, 2-745, 2-749-01, 2-749-02, 2-749-03, 2-749-04 **Accessories:** 2-412 Use the Index Code at industrilas.com

TESTS & STANDARDS

The tightening torque of the two nuts for the mounting bracket is 3,0 Nm. The tightening torque of the four nuts for the mould-in bolts is 2,2 Nm. It is important that the four holes made in the cut out for the mould-in bolts are within tolerance, to avoid damage when tightening the M5 nuts.

Classifications: IP66, DIN EN 61373 **Cylinder information:** Cylinder with other key codes on request, Supplied with two keys





INDUSTRILAS.COM

Make your selections in each column to create your article number (AAAA-BBCDDE-FFGG)

AAAA Tipo	BB Maçaneta	a Material	C Montagem	DD Latch version	E Tipo	FF Cylinder	GG Accessories
2800 Paddle latch	00 Universal	Plastic Zinc,	1 Insertos 1 injetados	06 Actuator for cables	0 Padrão	01 Com chave segredo 805	00 No accessory
	01 Universal	chrome	2 Suporte de montagem			02 Com chave segredo 455	
	02 Universal	Zinc, black				03 Segredos diferentes	
	10 Esquerda 20 Direita	Plastic Plastic				06 Com chave segredo CH751	
						69 Keyed alike 810	
						70 Keyed alike 815	
						71 Keyed alike 820	
						72 Keyed alike 825	
						73 Keyed alike 830	
						74 Keyed alike 835	
						75 Keyed alike 840	
						76 Keyed alike 845	
						77 Keyed alike 850	

