

VISION SWING HANDLE COMPACT WITH CYLINDER



Low profile compact swing handle with cylinder for control mechanism. Supplied with two keys. Available in push-to-latch version where the spring-loaded cam latches when the handle is pushed in.



MATERIAL

Cylinder: Zinc die cast, stainless steel 304 cap and dust shutter

Dish: Glass fibre reinforced polyamide (PA6GF30)

Handle: Zinc die cast, black powder coated

Pivot shaft: Zinc die cast, zinc plated

RELATED PRODUCTS

Rod latch systems: 1-008.04, 1-008.05, 1-008.13, 1-008.21, 1-008.25, 1-008.07



Similar products: 1-006.11

Use the Index Code at industrilas.com

TECHNICAL INFORMATION

Cylinder information: Master key system on request, Supplied with two keys

Standards: IP66, NEMA 4



Industrilas
— When access counts —

Make your selections in each column to create your article number (AAAAAAABC-DDDD)

AAAAAAA	Material	B	Door thickness T	C	PDL	DDDD	Cylinder
1416118	Handle zinc / dish PA6	1	0,8 - 1,5 mm	0	No	C21S	Keyed alike IL101
		2	1,6 - 2,5 mm			C22S	Keyed to differ *
		3	2,6 - 3,5 mm			C23S	Keyed alike IL0333

PDL = Spring loaded padlock loop retracts when handle is released.

Version B

