

# VISION SWING HANDLE COMPACT TOOL OPERATED



Low profile compact swing handle with insert for control mechanism. Available in push-to-latch version where the spring-loaded cam latches when the handle is pushed in.



## MATERIAL

**Dish:** Glass fibre reinforced polyamide (PA6GF30)

**Handle:** Zinc die cast, black powder coated

**Insert:** Zinc die cast, chrome plated

**Pivot shaft:** Zinc die cast, zinc plated

## RELATED PRODUCTS

**Rod latch systems:** 1-008.04, 1-008.21, 1-008.25, 1-008.07

**Keys:** 2-372, 2-370



**Similar products:** 1-006.13

Use the Index Code at [industrilas.com](http://industrilas.com)

## TECHNICAL INFORMATION

**Cutout:** Version B

**Standards:** IP66, NEMA 4



**Make your selections in each column to create your article number (AAAAAAABC-DDDDE)**

AAAAAAA	Material	B Door thickness T	C PDL	DDDD	Insert	E Model
1416118	Handle zinc / dish PA6	1 0,8 - 1,5 mm	0 No	1301	Hexagon 11	1 Push-to-latch
		2 1,6 - 2,5 mm		1308	Square 7	
		3 2,6 - 3,5 mm		1309	Square 8	
				1312	Triangular 7	
				1313	Triangular 8	
				1316	Double Bit 3	
				1317	Double Bit 5	
				1347	Insex 8 / 3 mm pin	

PDL = Spring loaded padlock loop retracts when handle is released.

Version B

