


QUARTER-TURN CLASSIC 56 MM



The quarter-turn latch consists of your choice of housing, nut, insert, washer, screw and cam. A longer housing can be used for insulated doors, where the 45,5 mm housing can be mounted with a spring clip for door thicknesses of 29, 32 or 39 mm and the 56,5 mm housing is for 40, 43 and 50 mm.

IP65 protection is achieved with an O-ring on the insert and a flat gasket on the housing.

The latch is delivered un-assembled, pre-assembled with enclosed cam or fully assembled. The spring clip option is ordered separately.



MATERIAL

Earthing nut: Zinc die cast, zinc plated

Housing: Zinc die cast, chrome plated or black texture powder coated

Cam: Steel, zinc plated

Insert: Zinc die cast, chrome plated or black texture powder coated

Standard nut: Zinc die cast, zinc plated

Washer, spring clip and screw: Steel, zinc plated

RELATED PRODUCTS

Other materials: 6-120

Handles and knobs: 2-360

Keys: 2-372, 2-370

Accessories: 2-410, 271105

Cams: 2-490, 2-510, 2-520, 2-480


Similar products: 2-060

Use the Index Code at industrilas.com

TECHNICAL INFORMATION

Standards: IP65

Cutout: COMBI



Industrilas
— When access counts —

Make your selections in each column to create your article number (AAAA-BCCDEF-HLL)

AAAA Housing	B Nut	CC Insert	D Surface - insert	E Assembly	F Cam	HLL H/L in mm
2122 Zinc, chrome plated	0 SN	05 Square 8	2 Chrome	0 IP54 - not assembled	0 Steel	0000 No cam
	1 EN	08 Square 8 / M6	6 Black			4245 42 / 45
15 Triangle 8			4445 44 / 45			
22 Double Bit 3			4645 46 / 45			
26 Slotted			4845 48 / 45			
28 Slotted with arrow				5045 50 / 45		
				5245 52 / 45		
				5445 54 / 45		
2126 Zinc, black coated				5645 56 / 45		5845 58 / 45
						6045 60 / 45
						6245 62 / 45
						6445 64 / 45
						6645 66 / 45
						6845 68 / 45
						7045 70 / 45
						7245 72 / 45
						7445 74 / 45
						7645 76 / 45
						7845 78 / 45
						8045 80 / 45
						8245 82 / 45
						8445 84 / 45
					8645 86 / 45	
					8845 88 / 45	

SN = Standard nut. EN = Earthing nut.

Other inserts on request.

