

VECTOR P

SCHNAPPRIEGELVERSCHLUSS



Der patentierte, strapazierfähige Vector P Schnappriegelverschluss ist vibrationsresistent und wurde für Straßen- und Offroad-Fahrzeuge entwickelt. Zweistufiger Schließer sorgt bei Bedarf für extra Sicherheit. Im geschlossenen Zustand widersteht der Verschluss einer Zugkraft von 225 kg.

Mit linkem, rechten oder universellem Griff erhältlich. Montage mit Einbauwinkel oder vier eingeformten Schrauben. Wasser- und staubdicht nach IP65.



MATERIAL

Body, grip handle and adapter for cylinder

(internal component): Polyamid
glasfaserverstärkt (PA6GF30)

Zylinder: Brass, nickel plated in matt finish

Manoeuvre arms: Zinkdruckguss, verzinkt

**Mounting bracket, mould-in bolts, maneuver
mechanism and striker used inside sealed**

area: Stahl, verzinkt

Mutter: Zinc die cast, chrome

O-ring: NBR

PUR-Dichtung: Polyurethane

RELATED PRODUCTS

Ähnliche Produkte: 2-831

Zubehör: 2-412


Use the Index Code at industrilas.com

TESTS & STANDARDS

The tightening torque of the two nuts for the mounting bracket is 3,0 Nm. The tightening torque of the four nuts for the mould-in bolts is 2,2 Nm. It is important that the four holes made in the cut out for the mould-in bolts are within tolerance, to avoid damage when tightening the M5 nuts.

Normen: IP66, DIN EN 61373

Zylinder information: Lieferung erfolgt mit 2 Schlüsseln, Cylinder with other key codes on request



Industrilas
— When access counts —

A product number is created by combining the figures in each column (AAAA-BBCDDE-FFGG)

AAAA Type	BB Griff	Material	C Befestigung	DD Zunge	E Type	FF Zylinder	GG Schließhake	
2800 VECTOR - Paddle	00	Universell Li / Re	PA6	1 Mould-in bolts	05 Rotary	0 Standard	01 Gleichschließend 805	00 No
	01	Universell Li / Re	Zinkdruckguss, verchromt	2 Klemmbrücke			02 Gleichschließend 455	01 Yes
	02	Universell Li / Re	Zinc die cast, black				03 Verschiedenschließend	
	10	Links	PA6				06 Gleichschließend CH751	
	20	Recht	PA6				69 Keyed alike 810	
						70 Keyed alike 815		
						71 Keyed alike 820		
						72 Keyed alike 825		
						73 Keyed alike 830		
						74 Keyed alike 835		
						75 Keyed alike 840		
						76 Keyed alike 845		
						77 Keyed alike 850		

