

VECTOR P TRAVA ROTATÓRIA



Vector P com trava rotatória é um fecho patenteado para aplicações severas. A lingueta rotatória à prova de vibrações é projetada para aplicação em veículos on/off-road. O mecanismo de travamento se prende no batente $\varnothing 6\text{mm}$ em dois estágios para uma segurança extra tipicamente utilizada em portas de automóveis. Quando travado, o fecho resiste a uma força de tração de 225kg.



MATERIAL

Body, grip handle and adapter for cylinder (internal component): Glass fibre reinforced polyamide (PA6GF30)

Cylinder: Brass, nickel plated in matt finish

Manoeuvre arms: Zamak, zincado

Mounting bracket, mould-in bolts, maneuver mechanism and striker used inside sealed area: Aço, zincado

Porca: Zinc die cast, chrome

O-ring: NBR

PUR-gasket: Polyurethane

RELATED PRODUCTS

Similar products: 2-831

Accessories: 2-412


Use the Index Code at industriilas.com

TESTS & STANDARDS

The tightening torque of the two nuts for the mounting bracket is 3,0 Nm. The tightening torque of the four nuts for the mould-in bolts is 2,2 Nm. It is important that the four holes made in the cut out for the mould-in bolts are within tolerance, to avoid damage when tightening the M5 nuts.

Classifications: IP66, DIN EN 61373

Cylinder information: Cylinder with other key codes on request, Supplied with two keys



Industriilas
— When access counts —

Make your selections in each column to create your article number (AAAA-BBCDDE-FFGG)

AAAA Tipo	BB Maçaneta Material	C Montagem	DD Cam	E Tipo	FF Cylinder	GG Batente H L
2800 VECTOR - alavanca	00 Universal PA6	1 Insertos injetados	05 Rotativo	0 Padrão	01 Com chave segredo 805	00 Sem - -
	01 Universal Zamak, cromado	2 Suporte de montagem			02 Com chave segredo 455	01 Sim 16 55
	02 Universal Zamak, preto				03 Segredos diferentes	
	10 Esquerda PA6				06 Com chave segredo CH751	
	20 Direita PA6				69 Keyed alike 810	
					70 Keyed alike 815	
					71 Keyed alike 820	
					72 Keyed alike 825	
					73 Keyed alike 830	
					74 Keyed alike 835	
		75 Keyed alike 840				
		76 Keyed alike 845				
		77 Keyed alike 850				

