

SISTEMA VISON DE FECHOS INTERNOS



O Sistema Vision Inside é montado na área interna da vedação e em conjunto com nossos fecheros escamoteáveis proporciona um grau de proteção IP65. Este sistema possui linguetas com roletes proporcionando uma compressão e um travamento suaves.

O sistema pode ser fornecido com uma lingueta extra montado sobre a cremona para fechamento central. A cremona é fornecida com os varões planos e os pontos de fechamento são encomendados separadamente.

Sistemas com mais de quatro pontos de fechamento podem ser adquiridos sob encomenda.

MATERIAL

Cremona: Glass fibre reinforced polyamide (PA6GF30)

Rod: Aço inox 304

RELATED PRODUCTS


Handles: 1-004.04, 1-006.01, 1-002.02, 1-005.10, 1-006.50, 1-002.01, 6-010, 1-002.03, 1-006.03, 1-002.08, 1-007

Rods: 1-008.05/13

Accessories: 1-008.13

Needed components for a complete system: 1-008.13

Use the Index Code at industriilas.com



Make your selections in each column to create your article number (AAAA-BBBB-CCCC)

AAAA	Material rod	Material control mechanism	BBBB	Rod system	CCCC	L in mm	L1 in mm	L2 in mm
1321	Aço, zincado	Zamak, zincado	1000	Vision Inside + Vision Outside	0500	500	200	-
1390	Aço inox 316	Zinc, Delta seal			0700	700	300	-
1350	Aço, zincado	PA6GF30			0900	900	400	-
1395	Aço inox 316	PA6GF30			1500	1500	300	700
					1700	1700	300	800

