


FECHO LINGUETA EM AÇO INOX 18MM ANTI-VIBRAÇÃO

O fecho lingueta anti-vibração é fabricado totalmente em aço inox 316. Você especifica seu fecho lingueta anti-vibração de acordo com sua necessidade escolhendo a bucha, a porca, o miolo, a arruela, o parafuso e a lingueta. O fecho pode ser entregue totalmente desmontado, parcialmente montado com a lingueta avulsa, ou totalmente montado.

Para se obter o grau de proteção IP66, um O-ring e uma gaxeta formada no lugar são aplicados.



MATERIAL

Cam : Steel, passivated

Housing: Aço inox 316

Insert: Zinc die cast, black texture powder coated

Porca: Aço inox 316

Parafuso: Steel, zinc plated or stainless steel 304

Washer: Poliamida

RELATED PRODUCTS

Similar products: 6-134a

Other materials: 2-020

Handles and knobs: 2-360

Keys: 2-372, 2-380, 2-370

Cams: 2-510, 2-520, 2-481, 2-491



Use the Index Code at industriilas.com

TESTS & STANDARDS

Latch is supplied with screw with mechanical thread lock.

Cutout: COMBI

Classifications: IP66, NEMA 4, DIN EN 61373



Industriilas
— When access counts —

Make your selections in each column to create your article number (AAAA-BCCDEF-HHLL)

AAAA Housing	B Porca	CC Insert	D Material do miolo e da bucha	E Montagem	F Cam	HHLL H/L em mm	
2419 Aço inox 316	3 Aço inox 303	01 Quadrado 6	9 Aço inox 316	6 IP66 PUR - not assembled	3 Aço inox 304	0000 Sem lingueta	
		03 Quadrado 7				0445 4 / 45	
	9 Aço inox 316	9 Aço inox 316		05 Quadrado 8	7 IP66 PUR - enclosed cam	9 Aço inox 316	0645 6 / 45
				08 Quadrado 8 / M6			0845 8 / 45
				13 Triângulo 6,5			1045 10 / 45
				14 Triângulo 7			1245 12 / 45
				15 Triângulo 8			1445 14 / 45
				16 Triângulo 10			1645 16 / 45
				17 Triângulo 10 / M5			1845 18 / 45
				22 Universal 3mm			2045 20 / 45
				24 Universal 5mm			2245 22 / 45
				26 Fenda			2445 24 / 45
							2645 26 / 45
							2845 28 / 45
							3045 30 / 45
							3245 32 / 45
							3445 34 / 45
							3645 36 / 45
							3845 38 / 45
							4045 40 / 45
	4245 42 / 45						
	4445 44 / 45						
	4645 46 / 45						
	4845 48 / 45						
	5045 50 / 45						

